

Author Index to Volume 28

- ADAMS, J.E. see Kelly, W.
 ADAMS, J. see Mason, H.D.
 Adlard, P. see Stanhope, R.
 ALLOLIO, B. see Schulte, H.M.
 ALTAHER, A.R.H. see Nussey, S.S.
 ALTHAUS, B.U., STAUB, J.-J., RYFF-DE LÈCHE, A., OBERHÄNSLI, A. & STAHELIN, H.B. LDL/HDL-changes in subclinical hypothyroidism: possible risk factors for coronary heart disease, 157
 ANG, V.T.Y. see Nussey, S.S.
 ANG, V.T.Y. see Nussey, S.S.
 ARCHIBALD, H.R. see Smith, C.P.
 ARMANINI, D. see Wehling, M.
 ASSCHEMAN, H., GOOREN, L.G., ASSIES, J., SMITS, J.P.H. & DE SLEGTE R. Prolactin levels and pituitary enlargement in hormone-treated male-to-female transsexuals, 583
 ASSIES, J. see Asscheman, H.
 ATKINSON, A.B. see Carson, D.J.

 BALKS, H.J., THIM, L. & CONLON, J.M. Circulation of a fragment of haemoglobin α -chain during a pentagastrin-induced flush in patients with metastatic carcinoid tumours, 261
 BARKER, D.J.P. see Phillips, D.I.W.
 BARONE, M. see Sinisi, A.A.
 BASIN, C. see Bertagna, X.
 BAYLIS, P.H. see Thompson, C.J.
 BEARDWELL, C.G. see Tsatsoulis, A.
 BEHAN, D.P. see Linton, E.A.
 BELLASTELLA, A. see Sinisi, A.A.
 BENIMILOUD, M. see Chaouki, M.L.
 BENKER, G. see Schulte, H.M.
 BENRAAD, TH.J. see Wit, J.M.
 BERGHOUT, A., WIERSINGA, W.M., SMITS, N.J. & TOUBER, J.L. The value of thyroid volume measured by ultrasonography in the diagnosis of goitre, 409
 BERTAGNA, A. see CICCARELLI, E.
 BERTAGNA, X., BASIN, C., PICARD, F., VARET, B., BERTAGNA, C., HUCHER, M. & LUTON, J.-P. Peripheral antigluccorticoid action of RU 486 in man, 537
 BERTAGNA, C. see Bertagna, X.
 BESSER, G.M. see Hale, A.C.
 see Kopelman, P.G.
 BIDY, S.P., & TOMLINSON, S. The regulation and integration of thyroid follicular differentiation and function, 423
 BIE-YU HUANG & PEI-WEN WANG

 BOLZANI, R. & VENTUROLI, S.
 BRAIN, C., HINDMARSH, P.C., BROOK, C.G.D. & MATTHEWS, D.R. Continuous subcutaneous growth hormone releasing factor analogue augments growth hormone secretion in normal male subjects with no desensitization of the somatotroph, 543
 BRANDEIS, A. see Diaz, S.
 BRAVERMAN, L.E. see Roti, E.
 BROOK, C.G.D. see Brain, C.
 see Hindmarsh, P.
 see Hindmarsh, P.C.
 see Pringle, P.J.
 see Stanhope, R.
 BROWNIE, B.E.W. see Watson, A.B.
 BUCKMANN, F.W. see Furmaniak, J.
 BURD, J.M. see Thompson, C.J.
 BURKE, C.W. see Ng, L.L.
 BYFIELD, P.G.H. see Copping, S.

 CAMANNI, F. see Ciccarelli, E.
 CÁRDENAS, H. see Diaz, S.
 CARLEVATTO, V. see Ciccarelli, E.
 CARR, D., MCLEOD, D.T., PARRY, G. & THORNES, H.M. Fine adjustment of thyroxine replacement dosage: comparison of the thyrotrophin releasing hormone test using a sensitive thyrotrophin assay with measurement of free thyroid hormones and clinical assessment, 325
 CARSON, D.J., SLOAN, J.M., CLELAND, J., RUSSELL, C.F.J., ATKINSON, A.B. & SHERIDAN, B. Cyclical Cushing's syndrome presenting as short stature in a boy with recurrent atrial myxomas and freckled skin pigmentation, 173
 CASE, G.D. see Saunderson, S.E.
 CASSORLA, F. see Crustiano, A.M.
 CENTOR, R.M. see Gardner, D.F.
 CHAOUKI, M.L., MAOUTI, R. & BENMILLOUD, M. Comparative study of neurological and myxoedematous cretinism associated with severe iodine deficiency, 399
 CHARLTON, B.G., FERRIER, I.N., LEAKE, A., EDWARDS, J.A., ECCLESTON, D., CROWCOMBE, K., MCLEAN, J., JACKSON, S. & LOWRY, D. A multiple timepoint study of N-terminal pro-opiomelanocortin in depression using a two-site recognition immunoradiometric assay, 165
 CHOPRA M., see Wilson, R.
 CICCARELLI, E., SAVINO L., CARLEVATTO, V., BERTAGNA, A., ISAIA, G.C. & CAMANNI, F. Vetebral

- bone density in non-amenorrhoeic hyperprolactinaemic women, 1
- CLELAND, J. see Carson, D.J.
- COATES, P.J. see Hale, A.C.
- CONLON, J.M. see Balks, H.J.
- COPPING, S. & BYFIELD, P.G.H. Thyroxine-binding globulin deficiency re-examined, 45
- COY, D. see Kopelman, P.G.
- CRISTIANO, A.M., MUNABI, A., EL SABBAGH, H., CASSORLA, F. & SHERINS, R.J. Prolactin responses to metoclopramide does not distinguish patients with hypogonadotrophic hypogonadism from delayed puberty, 75
- CROXATTO, H.B. see Diaz, S.
- DAVENPORT S. see Furmaniak, J.
- DAVIES, D. see Kelly, W.
- DE SLEGTE, R. see Asscheman, H.
- DEL POZO, E. see Seiber, C.
- DI SILVIO, L. see Hindmarsh, P.
- DIAZ, S., MIRANDA, P., BRANDEIS, A., CÁRDENAS, H. & CROXATTO, H.B. A study on the feasibility of suppressing ovarian activity following the end of postpartum amenorrhoea by increasing the frequency of suckling, 525
- DIEGUEZ, C., PAGE, M.D. & SCANLON, M.F. Growth hormone neuroregulation and its alterations in disease states, 109
- DIEGUEZ, C. see Page, M.D.
- DOBRIANSKY, D. see Mason, H.D.
- DONIACH, I. see Hale, A.C.
- DONS, R.F., ROSSELET, P., PASTAKIA, B., DOPPMAN, J. & GORDEN, P. Anopathy in acromegalic patients before and after treatment: a long-term follow up study, 515
- DOPPMAN, J. see Dons, R.F.
- EDMONDS, C.J. & TELLEZ, M. Hyperthyroidism and thyroid cancer, 253
- EDWARDS, C. see Page, M.D.
- EL SABBAGH, H. see Cristiano, A.M.
- EVANS, D.J. see Ng, L.L.
- EVANS, B.A.J. see Hughes.
- FABBRI, R. see Venturoli, S.
- FAGGIANO, M. see Sinisi, A.A.
- FANG, V.S. see Watson, A.C.
- FELLS, P. see Weetman, A.P.
- FLAMIGNI, C. see Venturoli, S.
- FLEETHAM, J.A. see Santamaria, J.D.
- FOCACCI, M. see Venturoli, S.
- FORANI, L. see Weetman, A.P.
- FRAGER, M.S. see Saunderson, S.E.
- FRAMPTON, C.M. see Watson, A.B.
- FRANKS, S., see Mason, H.D.
- FURMANIAK, J., DAVENPORT, S., NAKAJIMA, Y., KAISER, U., MULLER-GARTNER, H.W., BUCKMANN, F.W., PEGG, C. & REES SMITH, C. Analysis of TSH receptors and microsomal antigen in different human thyroid tissue specimens, 589
- GALE, E.A.M. see Smith, C.P.
- GAMMI, L. see Venturoli, S.
- GARDINI, E. see Roti, E.
- GARDNER, D.F., CENTOR, R.M. & UTIGER, R.D. Effects of low dosage oral iodide supplementation of thyroid function in normal men, 283
- GELSTHORP, C.H. see Lenton, E.A.
- GIANELLA-NETO, D. see Malerbi, D.
- GILLMAN, B. see Nussey, S.S.
- GIURNO-FILHO, A. see Malerbi, D.
- GNÄDINGER, M. see Seiber, C.
- GNUDI, A. see Roti, E.
- GOOREN, L.G. see Asscheman, H.
- GORDEN, P. see Dons, R.F.
- GROSSMAN, A. see Hale, A.C.
see Kopelman, P.G.
- GÜNTHER, R.W. see Schulte, H.M.
- HALE, A.C., COATES, P.J., DONIACH, I., HOWLETT, T.A., GROSSMAN, A., REES, L.H. & BESSER, G.M. A bromocriptine-responsive corticotrophin adenoma secreting α -MSH in a patient with Cushing's disease, 215
- HALL, R. see Page, M.D.
- HAMILL, G. see Stanhope, R.
- HARPER, R. see Lenton, E.A.
- HARRISON, J. see Tsatsoulis, A.
- HARVEY, R. see Lean, M.E.J.
- HAWTHORN, J. see Nussey, S.S.
- HEARN, P.R., REYNOLDS, C.L., JOHANSEN, K. & WOODHOUSE, N.J.Y. Lung carcinoid with Cushing's syndrome: control of serum ACTH and cortisol levels using SMS 201-995 (Sandostatin), 181
- HINDMARSH, P., DI SILVIO, L., PRINGLE, P.J., KURTZ, A.B. & BROOK, C.G.D. Changes in serum insulin concentration during puberty and their relationship to growth hormone, 381
- HINDMARSH, P. see Pringle, P.J.
- HINDMARSH, P.C., SMITH, P.J., PRINGLE, P.J. & BROOK, C.G.D. The relationship between the response to growth hormone therapy and pre-treatment growth hormone secretory status, 559
- HINDMARSH, P.C. see Brain, C.
- HOLDAWAY, I.M. see Swinburn, B.A.
- HOWLETT, T.A. see Hale, A.C.
- HUCHER, M. see Bertagna, X.
- HUGHES, I.A. & EVANS, B.A.J. The fibroblast as a model for androgen resistant states, 581
- IIDA, Y. see Takeda, K.

- IKEGAME, Y. see Takeda, K.
 IKEKUBO, K. see Takeda, J.
 ISAIA, G.C. see Ciccarelli, E.
 ISOTANI, H., see Takeda, K.
- JANSEM, M. see Wit, J.M.
 JEFFCOATE, W.J., SELBY, C. & POWELL, J.R.
 Radioimmunoassay artifact associated with circulating anti-rabbit antibodies, 39
 JEFFCOATE, W.J. see Selby, C.
 JEN-DER LIN, see Pei-Wen Wang.
 JENKINS, J.S., see Nussey, S.S.
 JOHANSEN, K. see Hearn, P.R.
 JOHNSON, M. see Seckl, J.R.
 JONES, J. see Stanhope, R.
 JONES, M.T. see Nussey, S.S.
 JUUSTILA, H. see Salmela, P.I.
- KAISER, U. see Furmaniak, J.
 KASAGI, K. see Takeda, K.
 KATO, K. see Seki, K.
 KELCH, R.P. see Sauder, S.E.
 KELLY, W., ADAMS, J.E., LAING, I., LONGSON, D. & DAVIES, D. Long-term treatment of Nelson's syndrome with sodium valproate, 195
 KENDALL-TAYLOR, P., STEPHENSON, A., STRATTON, A., PAPIHA, S.S., PERROS, P. & ROBERTS, D.F. Differentiation of autoimmune ophthalmopathy from Graves's hyperthyroidism by analysis of genetic markers, 601
 KID'Y, D. see Mason, H.D.
 KITAUKA, H. see Takeda, K.
 KONISHI, J. see Takeda, K.
 KOPELMAN, P.G. Neuroendocrine function in obesity, 675
 KOPELMAN, P.G., GROSSMAN, A., LAVENDER, P., BESSER, G.M., REES, L.H. & COY, D. The cortisol response to corticotrophin-releasing factor is blunted in obesity 15
 KOPELMANN, P.G., MASON, A.C., NOONAN, K. & MONSON, J.P. Growth hormone response to growth hormone releasing factor in diabetic men, 33
 KUHNLE, U. see Wehling, M.
 KURTZ, A.B. see Hindmarsh, P.
- LAING, I. see Kelly, W.
 LANE, M.R., see Swinburn, B.A.
 LAVENDER, P. see Kopelman, P.G.
 LEAN, M.E.J., MURGATROYD, P.R., ROTHNIE, I., REID, I.W. & HARVEY, R. Metabolic and thyroidal responses to mild cold are abnormal in obese diabetic women, 665
 LENTON, E.A., GELSTHORP, C.H. & HARPER, R. Measurement of progesterone in saliva: assessment of the normal fertile range using spontaneous conception cycles, 637
 LIBERMAN, B. see Malerbi, D.
 LIGHTMAN, S.L. see Seckl, J.R.
 LINTON, E.A., WOLFE, C.D.A., BEHAN, D.P., AND LOWRY, P.J. A specific carrier substance for human corticotrophin releasing factor in late gestational maternal plasma which could mask the ACTH-releasing activity, 315
 LOBB, P.A. see Selby, C.
 LONGSON, D. see Kelly, W.
 LOWRY, P.J. see Linton, E.A.
 see Roelasma, F.
 LUTON, J.-P. see Bertagna, X.
- MACCHIA, E., CONCETTI, R., CARONE, G., BORGONI, F., FENZI, G.F. & PINCHERA, A. Demonstration of blocking immunoglobulins G, having a heterogeneous behaviour, in sera of patients with Graves' disease: possible coexistence of different autoantibodies directed to the TSH receptor, 147
 MAGRINI, O. see Venturoli, S.
 MAJIMA, M. see Takeda, K.
 MAJIMA, T. see Takeda, K.
 MALERBI, D., LIBERMAN, B., GIURNO-FILHO, A., GIANELLA-NETO, D. & WAICHENBERG, B.L. Glucocorticoids and glucose metabolism: hepatic glucose production in untreated Addisonian patients and on two different levels of glucocorticoid administration, 415
 MANFREDI, A. see Roti, E.
 MAOUI, R. see Chaouki, M.L.
 MARSHALL, J.C. see Saunders, S.E.
 MASON, A.C. see Kopelman, P.G.
 MASON, H.D., SAGLE, M., POLSON, D.W., KIDDY, D., DOBRIANSKY, D., ADAMS, J. & FRANKS, S. Reduced frequency of luteinizing hormone pulses in women with weight loss-related amenorrhoea and multifollicular ovaries, 611
 MATTHEWS, D.R. see Brain, C.
 MCKILLOP, J.H. see Wilson, R.
 MCLEOD, D.T. see Carr, D.T.
 MEE LING YEONG, see Swinburn, B.A.
 MESSINIS, I.E. & TEMPLETON, A. Changes in serum prolactin levels during the follicular phase and the endogenous luteinizing hormone surge of cycles hyperstimulated with follicle stimulating hormone, 243
 MIAU-JU HUANG, see Pei-Wen Wang.
 MIRANDA, P. see Diaz, S.
 MONSON, J.P. see Kopelman, P.G.
 MONTERMINI, M. see Roti, E.
 MORRIS, J.A. see Phillips, D.I.W.
 MOZAI, T. see Takeda, K.
 MULLER-GAERTNER, H.-W. & SCHEIDER, C. 3, 5, 3'-triiodothyroacetic acid minimizes the pituitary

- thyrotrophin secretion in patients on levo-thyroxine therapy after ablative therapy for differentiated thyroid carcinoma, 345
- MULLER-GARTNER, H.W. see Furmaniak, J.
- MULLER-GARTNER, H.W. see Furmaniak, J.
- MUNABI, A. see Cristiano, A.M.
- MURGATROYD, P.R. see Lean, M.E.J.
- NAKAJIMA, Y. see Furmaniak, J.
- NELSON, M. see Phillips, D.I.W.
- NG, L.L., EVANS, D.J. & BURKE, C.W. The human leucocyte sodium pump in Cushing's syndrome, 223
- NICHOLSON, G.I. see Swinburn, B.A.
- NOONAN, K. see Kopelman, P.G.
- NUSSEY, S.S., PAGE, S.R., ANG, V.T.Y. & JENKINS, J.S. The response of plasma oxytocin to surgical stress, 277
- NUSSEY, S.S., HAWTHORN, J., PAGE, S.R., ANG, V.T.Y. & JENKINS, S.J. Responses of plasma oxytocin and arginine vasopressin to nausea induced by apomorphine and ipecacuanha, 297
- NUSSEY, S.S., PRICE, P., JENKINS, J.S., ALTAHER, A.R.H., GILLHAM, B. & JONES, M.T. The combined use of sodium valproate and metyrapone in the treatment of Cushing's syndrome, 373
- OBERHÄNSLI, A. see Althaus, B.U.
- OHNSHAUS, E.E. see Schulte, H.M.
- OOSTDIJK, W. see Wit, J.M.
- PAGE, M.D. see Dieguez, C.
- PAGE, S.R. see Nussey, S.S.
- PAGE, M.D., DIEGUEZ, C., VALCAVI, R., EDWARDS, C., HALL, R. & SCANLON, M.F. Growth hormone (GH) responses to arginine and L-dopa alone and after GHRH pretreatment, 551
- PAPIHA, S.S. see Kendall-Taylor, P.
- PARADISI, R. see Venturoli, S.
- PARRY, G. see Carr, D.
- PASTAKIA, B. see Dons, R.F.
- PEGG, C. see Furmaniak, J.
- PERRONE, L. see Sinisi, A.A.
- PERRON, P. see Kendall-Taylor, P.
- PHILLIPS, D.I.W., NELSON, M., BARKER, D.H.P., MORRIS, J.A. & WOOD, T.J. Iodine in milk and the incidence of thyrotoxicosis in England, 61
- PICARD, F. see Bertagna, X.
- PIE WEN WANG, SHUE-FEN LUO, BIE-YU HUANG, JEN-DER LIN & MIAU-JU HUANG. Depressed natural killer activity in Graves' disease and during antithyroid medication, 205
- POLSON, D.W. see Mason, H.D.
- PORCU, E. see Venturoli, S.
- POWELL, J.R. see Jeffcoate, W.J.
- PREECE, M.A. see Stanhope, P.
- PRICE, P. see Nussey, S.S.
- PRINGLE, P.H. see Stanhope, R.
- PRINGLE, P.J., STANHOPE, R., HINDMARSH, P. & BROOK, C.G.D. Abnormal pubertal development in primary hypothyroidism, 479
- PRINGLE, P.J. see Hindmarsh, P.
- see Hindmarsh, P.C.
- PRIOR, J.C. see Santamaria, J.D.
- QUARTO, C. SINISI, A.A.
- RATCLIFFE, W.A. see Tsatsoulis, A.
- RAYNER, P.H.W., RUDD, B.T., THOMAS, P.H. & WILLIAMS, J.W. Growth hormone deficiency and the measurement of somatomedin C/IGF-I: the influence of sexual maturation, 361
- REES, L.H. see Hale, A.C.
- see Kopelman, P.G.
- REES SMITH, C. see Furmaniak, J.
- REID, I.W. see Lean, M.E.J.
- REINWEIN, D. see Schulte, H.M.
- REYNOLDS, C.L. see Hearn, P.R.
- ROBERTS, D.F. see Kendall-Taylor, P.
- ROBINSON, E.L. see Tsatsoulis, A.
- ROBUSCHI, G. see Roti, E.
- ROELFSEMA, F., VAN DER HEIDE, D., LOWRY, P.J., VAN DULKEN, H. & SCHRÖDER-VAN DER ELST, J. Plasma growth hormone half-life after selective removal of adenoma in acromegals determines the outcome of surgery, 51
- ROGERS, T.G.H. see Watson, A.B.
- ROSENFELD, R.L. see Watson, A.C.
- ROSSELET, P. see Dons, R.F.
- ROTHNIE, I. see Lean, M.E.J.
- ROTI, E., ROBUSHCHI, G., GARDINI, E., MONTERMINI, M., SALVI, M., MANFREDI, A., GNUDI, A. & BRAVERMAN, L.E. Comparison of methimazole, methimazole and sodium iodate, and methimazole and saturated solution of potassium iodide in the early treatment of hyperthyroid Graves' disease, 305
- ROUKONEN, A. see Salmela, P.I.
- RUDD, B.T. see Rayner, P.H.W.
- RUSSELL, C.F.J. see Carson, D.J.
- RYFF-DE LÈCHE, A. see Althaus, B.U.
- SAGLE, M. see Mason, H.D.
- SAKANE, S. see Takeda, K.
- SALMELA, P.I., WIDE, L., JUSTILA, H., & RUOKONEN, A. Effects of thyroid hormones (T4, T3) bromocriptine and TRIAC on inappropriate TSH hypersecretion, 497
- SALVI, M. see Roti, E.
- SANTAMARIA, J.D., PRIOR, J.C. & FLEETHAM, J.A. Reversible reproductive dysfunction in men with obstructive sleep apnoea, 461

- SAUNDER, S.E., FRAGER, M.S., CASE, G.D., KELCH, R.P. & MARSHALL, J.C. Effects of changing gonadotrophin-releasing hormone pulse frequency on gonadotrophin secretion in men, 647
- SAVAGE, M.O. *see* Smith, C.P.
- SAVINO, L. *see* Cicarelli, E.
- SCANLON, M.F. *see* Dieguez, C.
see Page, M.D.
- SCHNEIDER, C. *see* Muller-Gaertner, H.-W.
- SCHRÖDER-VAN DER ELST, J. *see* Roelsema, F.
- SCHULTE, H.M., ALLOLIO, B., GÜNTHER, R.W., BENKER, G., WINKELMANN, W., OHNHAUS, E.E. & REINWEIN, D. Selective bilateral and simultaneous catheterization of the inferior petrosal sinus: CRF stimulates prolactin secretion from ACTH-producing microadenomas in Cushing's disease, 289
- SECKL, J.R., JOHNSON, M., SHAKESPEAR, C. & LIGHTMAN, S.L. Endogenous opioids inhibit oxytocin release during nicotine-stimulated secretion of vasopressin in man, 509
- SEKI, K. & KATO, K. Luteinizing hormone response to domperidone in hyperprolactinaemic women with pituitary microadenomas, 271
- SELBY, G., LOBB, P.A. & JEFFCOATE, W.F. Sex hormone binding globulin in saliva, 19
- SELBY, C. & JEFFCOATE, W.J.
- SHAKESPEAR, C. *see* Seckl, J.R.
- SHALET, S.M. *see* Tsatsoulis, A.
- SHAW, S. *see* Sieber, C.
- SHERIDAN, B. *see* Carson, D.J.
- SHERINS, R.J. *see* Cristiano, A.M.
- SHINE, B. *see* Weetman, A.P.
- SHUE-FEN LUO, *see* Pei-Wen Wang
- SIEBER, C., GNÄDINGER, M., DEL POZO, E., SHAW, S. & WEIDMANN, P. Effect of a new somatostatin analogue SMS 201-995 (Sandostatin) on the renin-aldosterone axis, 25
- SINISI, A.A., PERRONE, L., QUARTO, C., BARONE, M., BELLASTELLA, A. & FAGGIANO, M. Dysgerminoma in 45, X Turner syndrome: report of a case, 187
- SKUSE, D. *see* Stanhope, R.
- SLOAN, J.M. *see* Carson, D.J.
- SMITH, C.P., ARCHIBALD, H.R., THOMAS, J.M., TARN, A.C., WILLIAMS, A.J.K., GALE, E.A.M. & SAVAGE, M.O. Basal and stimulated insulin levels rise with advancing puberty, 7
- SMITH, P.J. *see* Hindmarsh, P.C.
- SMITS, N.J. *see* Berghout, A.
- SMITS, J.P.H. *see* Asscheman, H.
- SO, A.K. *see* Weetman, A.P.
- SPIT, M. *see* Wit, J.M.
- STÄHELIN, H.B. *see* Althaus, B.U.
- STANHOPE, R., ADLARD, P., HAMILL, G., JONES, J., SKUSE, D. & PREECE, M.A. Physiological growth hormone (GH) secretion during the recovery from psychosocial dwarfism: a case report, 335
- STANHOPE, R., PRINGLE, P.J. & BROOK, C.G.D. The mechanism of the adolescent growth spurt induced by low dose pulsatile GnRH treatment, 83
- STANHOPE, R. *see* Pringle, P.J.
- STAUB, J.J. *see* Althaus, B.U.
- STEPHENSON, A. *see* Kendall Taylor, P.
- STRATTON, A. *see* Kendall-Taylor, P.
- SWINBURN, A., MEE LING YEONG, LANE, M.R., NICHOLSON, G.I. & HOLDAWAY, I.M. Neurofibromatosis associated with somatostatinoma: a report of two patients, 353
- TAKAMATSU, J. *see* Takeda, K.
- TAKEDA, K., TAKAMATSU, J., KASKAGI, K., SAKANE, S., IKEGAMI, Y., ISOTANI, H., MAJIMA, T., MAJIMA, J., KITAOKA, H., IIDA, Y., IKEKUBO, K., KONISHI, J. & MOZAI, T. Developments of hyperthyroidism following primary hypothyroidism: a case report with changes in thyroid-related antibodies, 341
- TARN, A.C. *see* Smith, C.P.
- TELLEZ, M. *see* Edmonds, C.J.
- TEMPLETON, A. *see* Messinis, I.E.
- THIJSEN, J.H.H. *see* Wit, J.M.
- THIM, L. *see* Balks, H.J.
- THOMAS, J.M. *see* Smith, C.P.
- THOMAS, P.H. *see* Rayner, P.H.W.
- THOMPSON, C.J., BURD, J.M. & BAYLISS, P.H. Osmoregulation of vasopressin secretion and thirst in cyclical oedema, 629
- THOMSON, J.A. *see* Wilson, R.
- THORNES, H.M. *see* Carr, D.
- TOMLINSON, S. & BIDY, S.P.
- TOUBER, J.L. *see* Berghout, A.
- TSATSOULIS, A., SHALET, S.M., HARRISON, J., RATCLIFFE, W.A., BEARDWELL, C.G. & ROBINSON, E.L. Adrenocorticotrophin (ACTH) deficiency undetected by standard dynamic tests of the hypothalamic-pituitary-adrenal axis, 225
- TURNER, J.G. *see* Watson, A.B.
- UTIGER, R.D. *see* Gardner, D.F.
- VALCAVI, R. *see* Page, M.D.
- VAN DEN BRANDE, J.L. *see* Wit, J.M.
- VAN DER HEIDE, D. *see* Roelfsema, F.
- VAN DULKEN, H. *see* Roelfsema, F.
- VAN ROERMUND, H.P.C. *see* Wit, J.M.
- VARET, B. *see* Bertagna, X.
- VENTUROLI, S., PORCU, E., FABBRI, R., MAGRINI, O., GAMMI, L., PARADISI, R., FORACCI, M., BOLZANI, R. & FLAMIGNI, C. Episodic pulsatile secretion of FSH, LH, prolactin, oestradiol, oestrone, and LH

- circadian variations in polycystic ovary syndrome, 93
- WAJCHENBERG, B.L. see Malerbi, D.
- WARNER, C.A. see Weetman, A.P.
- WATSON, A.C., ROSENFELD, R.L. & FANG, V.S.
Recovery from glucocorticoid inhibition of the responses to corticotrophin-releasing hormone, 471
- WATSON, A.B., BROWNLIE, B.E.W., FRAMPTON, C.M., TURNER, J.G. & ROGERS, T.G.H. Outcome following standardized 185 MBq dose¹³¹I therapy for Graves' disease, 487
- WEBER, P.C. see Wehling, M.
- WEETMAN, A.P., SO, A.K., WARNER, C.A., FORONI, L., FELS, P. & SHINE, B. Immunogenetics of Graves' ophthalmopathy, 619
- WEHLING, M., KUHNLE, U., WITZGALL, H., WEBER, P.C. & ARMANINI, D. Lack of effect of aldosterone on intracellular sodium and potassium in mononuclear leucocytes from patients with pseudohypoadosteronism, 67
- WEIDMANN, P. see Seiber, C.
- WIDE, L. see Salmela, P.I.
- WIERSINGA, W.M. see Berghout, A.
- WILLIAMS, A.J.K. see Smith, C.P.
- WILLIAMS, J.W. see Rayner, H.W.
- WILSON, R., MCKILLOP, J.H., CHOPRA, M. & THOMSON, J.A. The effect of antithyroid drugs on B and T cell activity in vitro, 389
- WINKELMANN, W., see Schulte, H.M.
- WIT, J.M., VAN ROERMUND, H.P.C., OOSTDIJK, W., BENRAAD, TH.J., THUISSEN, J.H.H., BOER P., JANSEM, M., SPIT, M. & VAN DEN BRANDE, J.L. Heterozygotes for 17 α -hydroxylase deficiency can be detected with a short ACTH test, 657
- WITZGALL, P.C. see Wehling, M.
- WOLFE, C.D.A. see Linton, E.A.
- WOOD, T.J. see Phillips, D.I.W.
- WOODHOUSE, N.J.Y. see Hearn, P.R.

Subject Index to Volume 28

- Acromegalics
removal of adenoma and GH half-life, 51
arthropathy before and after treatment, 515
- ACTH
control of level in Cushing's syndrome, 181
deficiency induced by radiation, 225
- ACTH-producing microadenomas
and Cushing's syndrome, 289
- ACTH-releasing activity
possible masking of by plasma CRF carrier, 315
- ACTH test
detection of heterozygotes for 17 alpha-hydroxylase deficiency, 657
- Addisonian patients
hepatic glucose production, 415
- Adenoma
removal in Acromegalics and GH half-life, 51
- Adolescent growth spurt
mechanism of induction by pulsatile GnRH, 83
- Aldosterone
lack of effect in pseudohypoadosteronism, 67
- Androgen resistant states
fibroblast as a model, 565
- Anti-rabbit antibodies
and radioimmunoassay artifact, 39
- Anti-thyroid drugs
effect on B and T cell activity *in vitro*, 389
- Anti-thyroid medication
and depressed NK activity in Graves' disease 205
- Apomorphine
induction of nausea, 297
- Arginine
GH responses to, 551
- Arginine vasopressin
and response to surgical stress, 277
and nausea, 297
- Arthropathy
in acromegalic patients, 515
- Atrial myoxma
and Cushing's syndrome, 181
- Autoimmune ophthalmopathy
differentiation from Graves' hyperthyroidism, 601
- B cell activity
effect of anti-thyroid drugs, 389
- Blocking antibodies
in Graves' disease, 147
- Bromocriptine-responsive adenoma
causing Cushing's disease, 217
- Bromocriptine
effect on inappropriate TSH hypersecretion, 497
- Carcinoid tumours, 261
- Cold
abnormal thyroidal and metabolic responses in diabetic and obese women, 665
- Coronary heart disease
possible risk factors, 157
- Corcortrophin-releasing hormone
and glucocorticoid inhibition, 471
- Cortisol
in Cushing's syndrome, 181
response to CRF in obesity, 15
- Cretinism
neurological and myxoedematous: a comparative study, 399
- CRF
and blunted cortisol response in obesity, 15
and Cushing's disease, 289
specific plasma carrier for, 315
test in obesity, 15
- Cushing's syndrome
and atrial myoxma, 181
and bromocriptine-responsive corticotroph adenoma secreting α -MSH, 215
and catheterization of inferior petrosal sinus, 289
and human leucocyte sodium pump, 233
and SMS 201-995, 181
combined sodium valproate and metyrapone treatment, 373
- Cyclical oedema
osmoregulation of vasopressin secretion and thirst, 629
- Delayed puberty
not distinguished from hypogonadotrophic hypogonadism by prolactin response to metoclopramide, 75
- Depression
and *N*-pro-opiomelanocortin, 165
- Diabetic men
GH response to GRF, 33
- Diabetic women
abnormal responses in mild cold, 665
- Disease states
and neuroregulation of GH, 109
- L-Dopa
GH response to, 551
- Dysgerminoma
in 45, X Turner syndrome, 187

- Endemic cretinism, 399
- Fibroblast
as a model for androgen resistant states, 565
- Follicular differentiation and function
in thyroid, 423
- FSH
and polycystic ovary syndrome, 93
- GH
and changes in serum insulin concentration
during puberty, 381
half-life after surgery, 51
response to GRF in diabetic men, 33
responses to arginine, L-dopa and after GHRH
pretreatment, 551
secretion during puberty, 85
- GH deficiency
and measurement of somatomedin C/IGF-1, 361
- GH neuroregulation
and alterations in disease states, 109
- GH secretion
and psychosocial dwarfism, 335
- GH therapy response
relationship to pre-treatment growth hormone
secretory status, 559
- GHRH
and GH responses to, 551
- GRF analogue
augmentation of GH secretion in males with no
somatotroph desensitization, 543
- Genetic markers
in differentiation of Graves' hyperthyroidism and
autoimmune ophthalmopathy, 601
- Globulin
binding by sex hormone in saliva, 19
thyroxine-binding, 45
- Glucocorticoids
and glucose metabolism, 415
- Glucocorticoid inhibition
of responses to corticotrophin-releasing hor-
mone, 471
- Glucose metabolism
and glucocorticoids, 415
- GnRH treatment
and adolescent growth spurt mechanism, 83
- GnRH
effect of changing pulse frequency on gonadotro-
phin secretion, 647
- Goitre
and value of thyroid volume measurement, 409
- Gonadotrophin secretion
effect of changing GnRH pulse frequency, 647
- Graves' disease
blocking antibodies in, 147
comparison of early treatments, 305
depressed NK activity during antithyroid medica-
tion, 205
standardized 185 MBq dose ¹³¹I therapy, 487
- Graves' hyperthyroidism
differentiation from autoimmune ophthalmo-
pathy, 619
- Graves' ophthalmopathy
immunogenetics of, 619
- α -Haemoglobin fragment circulation
and pentagastrin-induced flush, 261
- HDL/LDL
changes in subclinical hypothyroidism, 157
- Hepatic glucose production
in Addisonian patients, 415
- 17 α -Hydroxylase deficiency
detection of heterozygotes by ACTH test, 657
- Hyperprolactinaemic women, 1, 271
- Hyperthyroidism
and thyroid cancer, 253
after hypothyroidism, 434
- Hypogonadotropic hypogonadism
not distinguished from delayed puberty by pro-
lactin response to metoclopramide, 75
- Hypothalamic-pituitary-adrenal axis
and non-detection of ACTH deficiency by stan-
dard dynamic tests, 225
- Hypothyroidism
and changes in LDL/HDL, 157
preceding hyperthyroidism, 343
- ¹³¹I therapy (185 MBq)
outcome in Graves' disease, 487
- IgG
and Graves' disease, 147
- Immunogenetics
of Graves' ophthalmopathy, 619
- Immunoradiometric assay
and N-pro-opiomelanocortin in depression, 165
- Inappropriate TSH hypersecretion
effect of T4, T3, bromocriptine and TRIAC, 497
- Inferior petrosal sinus
catheterization of, 289
- Inhibin
definition and nomenclature, 448
- Inhibition
by glucocorticoid, 471
- Insulin levels
rising during puberty, 7
- Integration
of thyroid follicular differentiation
and function, 423
- Intracellular sodium and potassium
and pseudohypaldosteronism, 67
- Iodide supplementation
effect on thyroid in normal men, 283

- Iodine in milk
and thyrotoxicosis in England, 61
- Ipecacuanha
induction of nausea, 297
- LH
and polycystic ovary syndrome, 93
response to domperidone, 271
- LH pulses
reduced in women with weight loss-related ammenorrhoea and multifollicular ovaries, 611
- LDL/HDL
changes in subclinical hypothyroidism, 157
- Leucocyte sodium pump
and Cushing's syndrome, 233
- α -MSH
and Cushing's disease, 215
- Metabolic responses in mild cold
abnormal in diabetic and obese women, 665
- Metastatic carcinoid tumours, 261
- Methimazole
and treatment of Graves' disease, 305
- Metoclopramide, 75
- Metyrapone
in treatment of Cushing's syndrome, 373
- Microsomal antigen
analysis in human thyroid tissue specimens, 589
- Milk
iodine content and thyrotoxicosis in England, 61
- Multifollicular ovaries
and reduced frequency of LH pulses, 611
- Myxoedematous cretinism, 399
- NK activity
in Graves' disease, 205
- Nausea
oxytocin and arginine vasopressin response, 297
- Nelson's syndrome
treatment with sodium valproate, 195
- Neuroendocrine function
in obesity, 675
- Neurofibromatosis
associated with somatostatinoma, 353
- Neurological cretinism, 399
- Neuroregulation
of GH, 109
- Nomenclature
inhibin and related substances, 448
- Non-amenorrhoeic hyperprolactinaemic women, 1
- Normal fertile range
assessment of, 637
- Obese women
metabolic and thyroidal responses in mild cold, 665
- Obesity
and blunted cortisol response to CRF, 15
neuroendocrine function in, 675
- Obstructive sleep apnoea
reversible reproductive dysfunction, 461
- Oestradiol
and polycystic ovary syndrome, 93
- Oestrone
and polycystic ovary syndrome, 93
- Opioids
inhibit oxytocin release, 509
- Osmoregulation
in cyclical oedema, 629
- Ovarian activity
feasibility of suppression by increased suckling, 525
- Oxytocin
and nausea, 297
and surgical stress, 277
release inhibited by endogenous opioids, 509
- Pentagstrin-induced flush
and metastatic carcinoid tumours, 261
- Peripheral antiglucocorticoid action
of RU 486 in man, 537
- Pituitary microadenomas
and LH response to domperidone, 271
- Pituitary thyrotrophin secretion
minimized by TRIAC, 345
- Pituitary enlargement
in hormone-treated male-to-female transsexuals, 583
- Polycystic ovary syndrome
pulsatile secretion of LH, FSH, PRL, oestradiol and oestrone, 93
- Postpartum ammenorrhoea
suckling and suppression of ovarian activity after, 525
- Pre-treatment growth hormone secretory status
relationship to response to growth hormone therapy, 559
- Primary hypothyroidism
abnormal pubertal development, 479
- N-pro-opiomelanocortin in depression, 165
- Progesterone
measurement in saliva, 637
- Prolactin
and Cushing's disease, 289
and polycystic ovary syndrome
levels in hormone-treated male-to-female transsexuals, 583
levels in superovulated cycles, 245
- Prolactin response
failure to distinguish hypogonadotrophic hypogonadism from delayed puberty, 75
- Pseudohypoadosteronism
and leucocyte electrolytes, 69

- Psychosocial dwarfism
 - and GH secretion, 335
- Pubertal development
 - in primary hypothyroidism, 479
- Puberty
 - and changes in serum insulin concentration, 381
 - and GH secretion, 85
 - rising insulin levels during, 7
- RU 486
 - action in man, 537
- Radioimmunoassay artifact
 - and circulating anti-rabbit antibodies, 39
- Regulation
 - of thyroid follicular differentiation and function, 423
- Renin-aldosterone axis
 - effect of somatostatin analogue SMS 201-995 (Sandostatin), 25
- Reproductive dysfunction
 - in obstructive sleep apnoea, 461
- SMS 201-995
 - effect on renin-aldosterone axis, 25
 - in ectopic Cushing's syndrome, 181
- Saliva
 - measurement of progesterone in, 637
- Salivary sex hormone
 - binding globulin, 19
- Severe iodine deficiency
 - and cretinism, 399
- Sex hormone
 - binding globulin, 19
- Sexual maturation
 - and GH deficiency, 361
- Sodium pump
 - and Cushing's syndrome, 233
- Sodium ipodate
 - and treatment of Graves' disease, 305
- Sodium valproate
 - and treatment of Nelson's syndrome, 195
 - in treatment of Cushing's syndrome, 373
- Somatomedin C/IGF-I
 - and growth defects, 361
- Somatostatinoma
 - and associated neurofibromatosis, 353
- Suckling
 - role in suppressing ovarian activity, 525
- Superovulation
 - and prolactin levels, 243
- Surgery
 - GH half-life after adenoma removal, 51
- Surgical stress
 - and response of plasma oxytocin, 277
- T3 and T4
 - effect on inappropriate TSH hypersecretion, 497
- T cell activity
 - effect of antithyroid drugs, 389
- TRIAC
 - effect on inappropriate TSH hypersecretion, 497
- TSH
 - inappropriate hypersecretion, 497
- TSH receptors
 - analysis in human thyroid specimens, 589
- Thirst
 - and osmoregulation in cyclical oedema, 629
- Thyroid cancer
 - and hyperthyroidism, 253
- Thyroid function in normal men
 - effect of low dose oral iodine, 283
- Thyroid carcinoma
 - and 3,5,3'-Triiodothyroacetic acid, 345
- Thyroid volume
 - and goitre, 409
- Thyroid
 - follicular differentiation and function, 423
- Thyroidal responses to mild cold
 - abnormal in obese and diabetic women, 665
- Thyrototoxicosis incidence
 - and iodine in milk in England, 61
- Thyrotrophin releasing hormone test
 - comparison with measurement of free thyroid hormones and clinical assessment, 325
- Thyroxine-binding globulin deficiency
 - re-examined, 45
- Thyroxine dosage
 - fine adjustment of, 325
- L-Thyroxine therapy
 - and thyroid carcinoma, 345
- Transsexuals
 - prolactin levels and pituitary enlargement in, 583
- 3,5,3'-Triiodothyroacetic acid (TRIAC)
 - and thyroid carcinoma, 345
- TSH receptor
 - and Graves' disease, 147
- 45,X Turner syndrome
 - dysgerminoma in, 187
- Ultrasonography
 - in diagnosis of goitre, 409
- Vasopressin
 - and inhibited oxytocin release, 509
- Vasopressin secretion
 - and osmoregulation in cyclical oedema, 629
- Vertebral bone density
 - in non-amenorrhoeic hyperprolactinaemic women, 1
- Weight loss-related amenorrhoea
 - and reduced frequency of LH pulses, 611
- Women
 - vertebral bone density in, 1

